COMPANY PROFILE



YEARS STRONG

ABOUT US

Petrolift was formed in 1999 when a gap was identified by Mr. Ehab Tadrous, founder and general manager, in the lifting equipment inspection industry and the local provision of quality lifting equipment.

Backed by industry leading international suppliers, Petrolift progressively increased product range, services, and in-house manufacturing.

WHAT WE DO

With our main office located in Badr City, Petrolift is home to specialised lifting equipment engineers. We focus on inspection and certification, supply, training, and fabrication of all types of lifting gear. In addition, Petrolift has a fully equipped Training Center providing rigging, survival, safety, HSE, lifting, and emergency response training accredited by renowned international bodies.

We represent a number of leading lifting equipment manufacturers, offering worldclass quality, certified, and cost-effective products readily available to suit our clients' needs. Finally, Petrolift has successfully established a weaving factory for narrow fabrics and synthetic slings. Our aim is to make accredited synthetic lifting slings readily available locally and regionally.

WHY US

As a TUV, LEEA, ABS, EGAC and OPITO approved entity, Petrolift remains an industry pioneer in focusing on market demands and providing the highest quality and most innovative solutions.





our Vision

Petrolift : a one-stop shop for industrial solutions and lifting equipment requirements, serving industries from oil and gas and construction to refineries, mining, renewable energy, and many more.

OUR MISSION

To provide highest quality industrial products and services efficiently, promptly, and safely.

OUR CORE VALUES



Behave honestly, are trustworthy, and set a good example



Make sure our behaviour complies with the policies and rules set out by international standards and codes of practices



Ensure compliance with the most updated national and international legislations and standards in the countries where we have business arrangements



Report incidents, risks, and issues which deviate from our policies





Are continually conscious about the need to maintain our integrity



Use the resources of our accreditors in the best interest of our customers and not misuse these resources

| 1 | |
|---|-----|
| | - 9 |
| | -a |
| | - |

Avoid possible conflicts of interest; do not accept gifts, invitations or other advantages which contradict with our integrity Do not pay or accept bribes

INSPECTION AND CERTIFICATION SERVICES

Founded in 1999, Petrolift was the first Egyptian company to specialise in the inspection of lifting equipment. With our dedication to safe lifting operations and extensive experience over the years, the Petrolift team now includes more than 70 engineers working across Egypt and the Middle East.

OUR SERVICES

- Inspection, thorough examination, and load testing
- ABS Approved Hull Gauging Inspection
- Drop object survey
- Destructive testing
- Scaffolding inspection

- Non Destructive Test (NDT), Includes (MT, VT, PT, UT, UT share wave) Eddy current testing Magnetic particle inspection (MPI)
- Rig survey and inspection
- Rope Access Services

ABOVE SERVICES ARE PERFORMED ON

- Lifting Equipment (Lifting Appliances) (Cranes, Winches, Monorail, RWB, CB, LH ...etc.)
- Lifting Gear (Loose Gear)
 (Slings, shackles, eyebolts, master link ... etc.)







Petrolift is a full LEEA member along with acquiring ABS Approval. All our inspection engineers have successfully completed:

LEEA diplomas, NSL modules, and ANST Level II.

To ensure unparalleled quality service, Petrolift follows international inspection references. These include:

- Provision and Use of Work Equipment Regulations (PUWER)
- Lifting Operation & Lifting Equipment Regulations (LOLER)
- British Standard Institution (BSI)
- American Petroleum Institute (API)
- American Society of Mechanical Engineer (ASME)
- Approved Code of Practices (LOLER LEEA (ACOP))
- Approved Schema
- Egyptian local standards

In the interest of our customers' convenience and to increase user friendliness, Petrolift engineers prepare and submit inspection reports and certifications on site with our clients.

We maintain database records of all inspected equipment to ensure it is readily available should our clients need additional copies

All our certificates have QR codes for validity and can be accessed online through the Petrolift Certification Portal with clients' unique login details.





TRAINING **CENTRE**



Established in 2008, the Petrolift Training Centre was built to conduct relevant onshore and offshore training to the Oil and Gas industry. Since then, our centre has expanded to include a variety of courses set to meet different sectors' needs.

We maintain our dedication to developing our portfolio and increasing our expertise. All our courses are conducted by experienced and qualified instructors and assessors, using accredited course materials in both Arabic and English.

OFFSHORE AND ONSHORE TRAINING

Built according to international and OPITO standards, the Petrolift Training Centre includes a swimming pool with HUET system, heli-winch simulator, a two-level smokehouse and firefighting training ground, confined space entry and rescue module unit, a Totally Enclosed Motor Propelled Survival Craft (TEMPSC) Lifeboat, and a muster platform.

COURSE LIST

- BOSIET-EBS & T-BOSIET
- HUET-EBS & T-HUET
- FOET-EBS & T-FOET
- OPITO Basic H2S
- Safety On Site
- MEM
- OIM Controlling Emergencies
- Confined Space Entry & Rescue
- Authorized Gas Tester

- Sea Survival
- Firefighting
- Self-rescue in Fire & Smoke
- FirstAid
- Basic Vertical Rescue from Heights
- SCBA Use
- Working Safely at Heights
- Basic Defensive Driving

In efforts to meet various needs, health and safety training may be conducted on clients' premises where applicable.

LIFTING TRAINING

As a specialist lifting company, Petrolift provides a wide scope of lifting training courses from basic to advanced levels. Our coaching covers topics ranging from safe lifting practices to changing risky habits and developing a good sense of safe operations.

COURSE LIST


- Rigger Initial Training (Stage 1& 2)
- Appointed Person for Lifting Operation (APLO)
- Lifting Operation Supervisor
- Electric Overhead Travelling Crane operation and slinging
- Rigging-Lifting & Banksman 🛛 🚆
- LOLER & PUWER
- Mobile Crane Operator
- Offshore Crane Operator (Stage 2 & 3)
- Forklift Operator
- Advanced Lifting Operation
- Lifting Equipment Inspection
- Tower Crane Operator
- Rigging Loft Controller
- Banksman
- Lifting Competent Person
- Lifting Team Duties and Responsibilities (VOC)
- Aerial Lift Operator (Manlift- Scissor)





SUPPLY

Petrolift works with leading industry manufacturers to provide companies in the region with state of the art lifting and safety equipment. Our supply product range includes wire ropes, chains, lifting and hoisting accessories, webbing slings, ferrules and thimbles, and Personal Protective Equipment.





STEEL WIRE ROPE SLINGS FABRICATION

Petrolift is proud of being the first ever certified wire rope sling shop in Egypt. With top of the range equipment and extensive expertise, we fabricate tailor made 6mm - 80mm diameter wire rope slings.

All our products are tested and certified according to international standards. Our products have supplied leading industries, companies, and local and regional projects.

Petrolift offers specialised product services to meet client needs. (Drill line, raising line, etc...)



USER GUIDE

GENERAL PURPOSE WIRE ROPE SLINGS - BS EN 13414-1 IWRC Construction - 1770 Grade - Class 6x19, Class 6x36

| ROPE S Diameter | SINGLELEG | Leg Ang | gle 0 - 45° | Leg Angle 45 - 60" Minimum ROPE SINGLE LEG | SINGLELEG | Leg Angle 0 - 45" | | Leg Angl | e 45 - 60" | Minimum | - | | | |
|--------------------|-----------|--------------|------------------|--|--------------|-------------------|------------|----------|--------------|----------------|--------------|--------------|------------|-------------------------|
| | WL | 2 leg WLL | 3 & 4 leg WLL | 2 leg WLL | 4 leg WLL | Break Load | Diameter | WL | 2 leg WLL | 3&4 leg WLL | 2 leg WLL | 4 leg WLL | Break Load | \sim |
| mm | tonne | tonne | tonne | tonne | tonne | tonne | mm | tonne | tonne | tonne | tonne | tonne | tonne | |
| 8 | 0.75 | 1.05 | 1.55 | 0.75 | 1.10 | 4.11 | 28 | 9,00 | 12.5 | 19.0 | 9.00 | 13.5 | 50,4 | |
| 9 | 0.95 | 1.30 | 2.00 | 0.95 | 1.40 | 5.20 | 32 | 11.8 | 16.5 | 25.0 | 11.8 | 17.5 | 54.1 | TWO LEG SLINGS |
| 10 | 1.15 | 1.60 | 2.40 | 1.15 | 1.70 | 6.42 | 35 | 14.2 | 19.9 | 29.8 | 14.2 | 21.3 | 78.7 | |
| n | 1.40 | 2.00 | 3.00 | 1.40 | 2.12 | 7.77 | 36 | 15.0 | 21.0 | 31.5 | 15.0 | 22.5 | 83.3 | 1 |
| 12 | 1.70 | 2.30 | 3.55 | 1.70 | 2.50 | 9.25 | 38 | 16.7 | 23.4 | 35.1 | 16.7 | 25.1 | 92.8 | |
| 13 | 2.00 | 2.80 | 4.15 | 2.00 | 3.00 | 10.8 | 40 | 18.5 | 26.0 | 39.0 | 18.5 | 28.0 | 103 | |
| 14 | 2.25 | 3.15 | 4.80 | 2.25 | 3.40 | 12.6 | 44 | 22.5 | 31.5 | 47.0 | 22.5 | 33.5 | 124 | |
| 16 | 3.00 | 4.20 | 6.30 | 3.00 | 4.50 | 16.4 | 48 | 26.0 | 37.0 | 55.0 | 26.0 | 40.0 | 148 | THREE AND FOUR LEG SLIN |
| 18 | 3.70 | 5.20 | 7.80 | 3.70 | 5.65 | 20.8 | 52 | 31.5 | 44.0 | 66.0 | 31.5 | 47.0 | 174 |] |
| 19 | 4.16 | 5.82 | 8.74 | 4.16 | 6.24 | 23.1 | 54 | 33.7 | 47.2 | 70.8 | 33.7 | 50.6 | 187 | 0 |
| 20 | 4.60 | 6.50 | 9,80 | 4.60 | 6.90 | 25.7 | 56 | 36.0 | 50.0 | 76.0 | 36.0 | 54.0 | 201 | (g |
| 22 | 5.65 | 7,80 | 11.8 | 5.65 | 8.40 | 31,1 | 60 | 42.0 | 58.0 | 88.0 | 42.0 | 63.0 | 231 | |
| 24 | 6.70 | 9,40 | 14.0 | 6.70 | 10.0 | 37.0 | 64 | 49.3 | 69.0 | 104 | 49.3 | 74.0 | 274 | |
| 26 | 7.80 | 11.0 | 16.5 | 7.80 | 11.5 | 43.4 | 71 | 59.9 | 83.9 | 126 | 59.9 | 89.9 | 333 | |
| 28 | 9.00 | 12.5 | 19.0 | 9.00 | 13.5 | 50.4 | 77 | 70.0 | 98.0 | 147 | 70.0 | 105 | 389 | VERTICAL CHOKE |
| | | | | | | | Leg factor | 1 | 14 | 21 | 1 | 15 | 1 | TENTIONE CHOKE |




SYNTHETIC SLINGS WEAVING MANUFACTURING

Petrolift is the only company weaving synthetic slings 100% made in Egypt.



We use Grade AA High Tenacity Polyester Multi-Filament Industrial Yarn.





All Petrolift slings are colour and line coded according to industry standards to indicate safe working load limit.



All synthetic webbing products are tested in-house using our calibrated pull testing machine.

Petrolift manufactures flat webbing slings, endless round slings, ratchets, web lashings, and truck nets with webbing belts.







SYNTHETIC LIFTING SLINGS

Synthetic slings are lifting slings made of polyester and are a cost effective and safe alternative to chain or wire rope slings. Flexible, lightweight, safe, and easy to use, synthetic slings are popular amongst different industries. They are available as either flat webbing slings or endless round slings. Petrolift manufactures these in compliance with EN 1492 Standards and at a safety factor of 7:1.

FLAT WEBBING SLINGS

In accordance with EN 1492-1 Standard

| | | THE REAL PROPERTY AND | |
|-------------|----------------|-----------------------|---|
| Effective W | forking Length | | - |

| Working Load Limit (Tonne) | | | | | | | | |
|------------------------------|--------|----------|--------|--------|------------|------------|------------|--|
| | | Vertical | Choker | Basket | Basket 60° | Basket 45° | Basket 30° | |
| Plee2-1te | Violet | 1 | 0.8 | 2 | 1.7 | 1.4 | 1 | |
| Plee2-2te | Green | 2 | 1.6 | 4 | 3.4 | 2.8 | 2 | |
| Plee2-3te | Yellow | 3 | 2.4 | 6 | 5.1 | 4.2 | 3 | |
| Plee2-4te | Grey | 4 | 3.2 | 8 | 6.9 | 5.6 | 4 | |
| Plee2-5te | Red | 5 | 4 | 10 | 8.6 | 7 | 5 | |
| Plee2-6te | Brown | 6 | 4.8 | 12 | 10.3 | 8.4 | 6 | |
| Plee2-8te | Blue | 8 | 6.4 | 16 | 13.8 | 11.2 | 8 | |
| Plee2-10te | Orange | 10 | 8 | 20 | 17.3 | 14 | 10 | |

ENDLESS ROUND SLINGS

In accordance with EN 1492-2 Standard



| | | ١ | Norking Loa | d Limit (To | nne) | | |
|------------|--------|----------|-------------|--------------|------------|------------|------------|
| | | Vertical | Choker | Basket | Basket 60° | Basket 45° | Basket 30° |
| Plers-1te | Violet | 1 | 0.8 | 2 | 1.7 | 1.4 | 1 |
| Plers-2te | Green | 2 | 1.6 | 4 | 3.4 | 2.8 | 2 |
| Plers-3te | Yellow | 3 | 2.4 | 6 | 5.1 | 4.2 | 3 |
| Plers-4te | Grey | 4 | 3.2 | 8 | 6.9 | 5.6 | 4 |
| Plers-5te | Red | 5 | 4 | 10 | 8.6 | 7 | 5 |
| Plers-6te | Brown | 6 | 4.8 | 12 | 10.3 | 8.4 | 6 |
| Plers-8te | Blue | 8 | 6.4 | 16 | 13.8 | 11.2 | 8 |
| Plers-10te | Orange | 10 | 8 | 20 | 17.3 | 14 | 10 |




LOAD SECURING

LASHING STRAP

Linear Breaking Strength Elongation At Lc Width Material Standard No.

Buckle Specifications Breaking Strength Width Material



5.000 daN / 11,000 Lbs. <7% (EN 12195-2) 40 mm - 1.5/8" High Tenacity Polyester WSTDA-4 + EN 12195-2

6.000 daN / 13,200 Lbs. Inner width 40 mm - 1.5/8" Zinc Plated Steel Buckles



CARGO STRAP

| | | | | | - | |
|--------------|--------------------------|---------------|---------------|----------------------|------|-------|
| Part No. | Lashing Capacity (Kg) | Webbing Width | M.B.S (Kg) | Fixed Length (Cm) | (Kg) | (Kg) |
| Pirtd25-040 | 400 | 25mm | 800 | 30 | 400 | 800 |
| Pirtd25-050 | 500 | 25mm | 1000 | 30 | 500 | 1000 |
| Pirtd25-075 | 750 | 25mm | 1500 | 30 | 750 | 1500 |
| Pirtd35-075 | 750 | 35mm | 1500 | 50 | 750 | 1500 |
| Pirtd35-100 | 1000 | 35mm | 2000 | 50 | 1000 | 2000 |
| Pirtd35-150 | 1500 | 35mm | 3000 | 50 | 1500 | 3000 |
| Pirtd50-150 | 1500 | 50mm | 3000 | 50 | 1500 | 3000 |
| Pirtd50-200 | 2000 | 50mm | 4000 | 50 | 2000 | 4000 |
| Pirtd50-250 | 2500 | 50mm | 5000 | 50 | 2500 | 5000 |
| Pirtd75-350 | 3500 | 75mm | 7000 | 70 | 3500 | 7000 |
| Plrtd100-500 | 5000 | 100mm | 10000 | 70 | 5000 | 10000 |



According to European Standards, textile lifting devices (EN 1492-1 & EN 1492-2) and lashing systems (EN 12195-2), must be protected from sharp angles and edges. Polyurethane is a resistant material used to protect lifting and lashing slings during the handling of sharp and cut edged products. PMS Industrie has developed a wide range of polyurethane protection products, which Petrolift is proud to offer our clients:

UHMWPE GRIZZLY SLINGS

The Grizzly range is manufactured with UHMWPE (Ultra-High Molecular Weight Polyethylene), one of the most resistant materials available on the market. With an excellent resistance to abrasion, cut, water, and moisture. UHMWPE fibre is particularly used to manufacture high strength roundslings for heavy lifting both in offshore and onshore industries.

POLYURETHANE COATING AND SLEEVES

PMS Industrie has developed a line of coating and sleeve solutions that protect lifting slings when handling sharp and cut edged loads. The range of products is highly resistant to cuts, protects loads, has excellent adherence properties in case of slippery surface, and enhances slings' lifespan.

POLYURETHANE EDGE PROTECTION

against sharp edges. They create balanced load weight distribution and are shock absorbing.


Polyurethane corners protect slings from cuts or abrasions

SPECIALITY PRODUCTS

















WORKWEAR MANUFACTURING

Petrolift offers a wide range of fully customisable workwear production for our clients. Manufactured with safety, comfort, and agility in mind, our range is ideal for factory and industrial environments. Previous products have included padded winter jackets, reflective coveralls, and embroidered shirts and trousers.

Gloves

Eye protectionHead protection

Fall protection

PERSONAL PROTECTIVE EQUIPMENT

Petrolift Represents Portwest in Egypt

Portwest is a global manufacturer and innovator of workwear, safety wear and PPE. Established in 1904, Portwest is the fastest growing workwear company in the world with a global distribution network and customer service staff in over 130 countries. Innovative production and design by an in-house team of experts lies at the heart of the Portwest advantage.

PRODUCT RANGE INCLUDES

- High visibility clothing
- Flame resistant clothing
- Workwear
- Footwear











STEEL FABRICATION

Petrolift offers steel fabrication services designed, fabricated, tested and certified in our facilities. Our products supply the oil and gas, marine, lifting, and construction industries.

We design and fabricate according to offshore standards BS EN ISO 10855-1:2018 and BS EN 14502:2010. Products may be verified by a third party at the clients' request. Drawings, structural analysis, and certification are all delivered with each fabricated unit. Petrolift's services include repairing, cutting, welding, painting, and sandblasting.

OUR PRODUCT RANGE INCLUDES



- Cargo Carrying Units (CCU's)
- Lifeline System
- Offshore Containers
- Cargo Baskets
- Pad Eyes
- Machined Steel Parts
- Drum Lifter

- Personal Baskets
- Racking Systems
- Spreader Beams
- Trolley
- Bop Frame
- Lugs









- First Industrial Area Plots 196/148. Badr City - Cairo, Egypt Postal Code 11829
- **L** +2 (02) 2860 7400
- +2 (02) 2860 7444
- ✓ info@petrolift.com
- www.petrolift.com

